



# 2012 annual waterQuality report

THE CITY OF KIRKLAND, WA · MAY 2012

## It's National Drinking Water Week! (May 6-12, 2012)

AS YOUR WATER DIVISION, we are pleased to report that ongoing testing in 2011 showed that your drinking water met or exceeded all state and federal drinking water standards. In compliance with the federal Safe Drinking Water Act and Washington State Department of Health requirements, we are sending this annual report, including testing results from 2011, to every water customer Kirkland serves. You have a right to know what is in your drinking water and where it comes from. In this report, you will find news about water sources, quality, programs and projects intended to help you make well-educated decisions regarding the water you drink and to encourage you to consider the challenges of delivering safe drinking water. An extensive amount of information is provided in this report. We hope we have presented it in a user-friendly format, and that the topics are of interest to you. Please contact us if you would like help understanding the information provided, would like more information about your drinking water, or have suggestions for future reports. Our addresses and telephone numbers are located at the end of this report. Definitions of terms used can be found beneath the table on page 5.

## Cascade Water Alliance Secures New Future Water Supply

The City of Kirkland is a member of the Cascade Water Alliance (Cascade) along with Bellevue, Covington Water District, Issaquah, Redmond, Sammamish Plateau Water and Sewer District, Skyway Water and Sewer District, and Tukwila. It provides its members with safe, clean and reliable water in a cost effective and environmentally responsible manner. Cascade is creating a lasting legacy by establishing a model for regional cooperation and effective public resource management. Cascade completed its purchase of Lake Tapps in Pierce County, and was granted water rights by the State, ensuring the region its first new drinking water supply in decades. The purchase and approval to use this lake for a municipal water source ensures future generations a safe and reliable water supply. Cascade will develop the new municipal

water supply in future years. Meanwhile, Cascade will be managing Lake Tapps for recreation while enhancing fish habitat in the White River. For more information, visit [www.cascadewater.org](http://www.cascadewater.org).

## Your Drinking Water is Safe

As a member of Cascade Water Alliance (Cascade), Kirkland purchases its water from Seattle Public Utilities (SPU). The water is then distributed to Kirkland residents through Kirkland's water distribution system. SPU performs most of the sampling and treatment for Kirkland's drinking water. The Kirkland Water Division operates and maintains the system's water distribution lines, pump stations and storage reservoirs. ("Kirkland" and "SPU" will both be used in this report when referring to the water supply.) Most importantly, we want to assure you that Kirkland's drinking water is safe and meets or exceeds all state and federal drinking water quality standards.






Tolt Reservoir - photo courtesy of Seattle Public Utilities

## Our Water Sources

Two watersheds, the South Fork Tolt River Watershed (13,390 acres) and the Cedar River Watershed (90,495 acres), supply all of Kirkland's water. These two surface water sources are located in remote, uninhabited areas of the Cascade Mountains. To protect the quality of our water SPU enforces an aggressive watershed protection plan. Kirkland's water usually comes from the Tolt River Watershed. On rare occasions, such as during summers with high water demands and low precipitation, the Tolt water is supplemented with water from the Cedar River Watershed. In 2011, Kirkland received no water from the Cedar River Watershed.

The Washington State Department of Health (DOH) conducted a source water assessment to determine potential contaminant sources and has determined that all surface water systems are considered highly susceptible to contamination. You can access the full report on Washington's Source Water Assessment Program (SWAP) at the Department of Health's website: [www.doh.wa.gov/ehp/dw](http://www.doh.wa.gov/ehp/dw). Scroll down and click on Source Water Assessment.



### PLEASE NOTE:

Northshore and Woodinville Utility Districts serve certain portions of north Kirkland. The statistics contained herein do not include the areas served by those districts.

## Kirkland's Water System Facts\*

\* Please note that certain portions of north Kirkland are served by the Northshore and Woodinville Utility Districts. These statistics do not include areas served by the districts.


- 💧 Square miles served = 9.32
- 💧 Population served = 39,224
- 💧 City of Kirkland Connections = 12,153
  - 💧 Single-family Residential = 10,221
  - 💧 Multi-family = 784
  - 💧 Commercial = 692
  - 💧 Irrigation systems = 456
- 💧 Bellevue & Redmond Connections served by Kirkland = 4,339 (2011)
- 💧 Average Water Usage (2011 data)
  - 💧 Entire System = 5.4 million gallons per day
- 💧 Record Water Usage = 16.2 million gallons (July 20, 1994)

### KIRKLAND'S WATER FACILITIES

- 💧 Water Storage Capacity
  - 💧 North Reservoir (Mark Twain Park) = 14.3 million gallons
  - 💧 South Reservoir (Bridle Trails) = 11.5 million gallons
- 💧 Miles of Water Main (pipe) = 169.3
- 💧 Number of Fire Hydrants = 1,773
- 💧 Number of Pump Stations = 3
- 💧 Number of Pressure Control Stations = 34

### UPGRADED

- 💧 During 2011, Kirkland Water crews repaired/replaced 73 water service lines.





## Water Treatment

The Tolt and Cedar water supplies are disinfected with chlorine, which destroys Giardia, bacteria, and viruses that may be present in the source water. Because our waters are naturally very soft, minerals (calcium oxide and sodium carbonate) are added to help inhibit corrosion in building plumbing systems. In accordance with a Seattle public vote held in November 1968, SPU also adds fluoride to the drinking water at appropriate levels to prevent tooth decay.

The Tolt supply is treated at a filtration and ozonation facility. Tolt filtration improves water quality to a level beyond what is required by current standards as well as satisfying increases in standards proposed for the future. It also allows the reservoir to be operated in all weather conditions (certain conditions used to render the river too muddy to be used at times) and produces additional water supply from the Tolt reservoir. The Cedar Treatment Facility is the largest facility in the United States to use ultra-violet light technology to disinfect drinking water. Details about SPU's planned capital improvements are available on their web site at [www.seattle.gov/util/services](http://www.seattle.gov/util/services).



Tolt Pipeline - photo courtesy of Seattle Public Utilities

## The Purpose of Disinfection, and the Resulting Disinfection By-products

Drinking water is disinfected to destroy bacteria, viruses, and Giardia. (Inadequate disinfection may lead to acute gastrointestinal illnesses.) However, as the disinfectant reacts with naturally occurring organic matter in the water, disinfection by-products are formed. Disinfection by-products have been linked to increased cancer risks from drinking water containing high levels (greater than the MCLs) over many years. New drinking water regulations provide a balance between required levels of disinfection and the resulting disinfection by-products. SPU's Tolt Filtration Plant improves Kirkland's ability to provide a higher level of microbial protection while maintaining or reducing disinfection by-product levels.



Water Division crewmember exercising a fire hydrant

## Capital Improvement Program (CIP)

The City of Kirkland is constantly reviewing system hydraulics and statistics to determine long-term budgeting for replacement of old piping and to increase water capacity throughout the system. As an example, the City of Kirkland has a comprehensive meter change out program. This program is scheduled to replace an average of 10% of the City's water meters each year, based on the meter's age and usage. In addition, in 2011, the City replaced three substandard fire hydrants and responded to 102 service requests to investigate "leaks" on the customer's side of the water meter. These projects are an integral piece of Kirkland's long-standing commitment to customer satisfaction and service. For the most up-to-date CIP information, please visit our web page at [www.kirklandwa.gov](http://www.kirklandwa.gov) or contact the Water Division at (425) 587-3910.

# Water Quality Monitoring

SPU staff monitors water quality in the source water, treatment processes, and distribution system 365 days a year. Various compounds are monitored at specific frequencies (continuously, daily, monthly, quarterly, or annually) and locations (prior to treatment, entering the distribution system, and throughout the distribution system) in accordance with federal and state regulations. Many of these tests confirm the absence of various contaminants. Water quality monitoring conducted between January 1 and December 31, 2011 confirmed that there were no contaminants at or above established levels of concern for the general public. Please refer to the data tables in this report for more detailed information on water quality monitoring results.

## Information on the Potential for Health Concerns Relating to Drinking Water

The sources of all drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and can pick up substances resulting from the presence of animals or human activity.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA's) Safe Drinking Water Hotline (800) 426-4791, or from EPA's Office of Ground Water and Drinking Water web site at [www.epa.gov/safewater/hotline](http://www.epa.gov/safewater/hotline).

MCLs are set at very stringent levels. To understand the possible health effects described for many regulated constituents, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect. Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk for infections. These people should seek advice about drinking water from their health care providers. EPA/CDC (Environmental Protection Agency/ Center for Disease Control) guidelines on appropriate ways to

lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (800) 426-4791, and on EPA's web site.

In Kirkland's water supplies, these potential contaminants and their sources include:

POTENTIAL CONTAMINANT	SOURCE
Microbial	Viruses and bacteria from wildlife
Inorganic	Salts and metals which are naturally occurring
Pesticides and herbicides	Agriculture,urban stormwater runoff, residential
Organic	By-products of disinfection processes
Radioactive	Naturally occurring

To ensure that tap water is safe to drink, EPA adopts regulations setting the water quality standards for public water systems. The federal Food and Drug Administration regulates contaminants in bottled water and is responsible for providing the same level of public health protection.

## Water Clarity

Turbidity, a measure of water's clarity, has no direct health effect but indicates the overall quality of the water. High turbidity can reduce the effectiveness of disinfection. Turbidity may indicate the presence of disease-causing organisms. These organisms include bacteria, viruses, and parasites that can cause symptoms such as nausea, cramps, diarrhea, and associated headaches. SPU's source waters have very low turbidity. The unit of measurement for turbidity is the NTU (nephelometric turbidity unit). SPU monitors source water turbidity continuously on both the Tolt and the Cedar supply. For each month in 2011, 100% of the treated samples from the Tolt Treatment Facility were below 0.3 NTU.



Sample Stand - Lake Washington Boulevard

The table titled 'Water Quality Monitoring Results' lists the contaminants detected in 2011 together with their concentrations and possible sources. The following paragraphs describe the significance of a few of these contaminants. Some tests are not required every year; for these tests, the concentrations listed are the results of the most recent testing. If you would like a copy of the list of contaminants that are monitored but were not detected in Kirkland's water, please call (425) 587-3910.

## 2011 Water Quality Monitoring Results: THIS IS WHAT IS IN YOUR TAP WATER

DETECTED PARAMETER & UNITS	Tolt Supply		This level or less is ideal	This much is allowed	Is your water safe?	Typical Sources
	AVERAGE	RANGE	MCLG*	MCL*	Compliant?	
Total Organic Carbon, ppm	1.3	1.2 - 1.6	NA	TT	YES	Naturally present in environment
Cryptosporidium, #/100L	ND	ND to 2	NA	NA	YES	Naturally present in environment
Total Coliform, # of positive samples	Highest Month = 0 of 36 samples Annual Number = 0 of 428 samples		0	1/month	YES	Naturally present in environment
CLARITY (Measured After Treatment)						
Turbidity, NTU	0.06	0.04 - .15	NA	TT	YES	Soil runoff
INORGANIC AND ORGANIC PARAMETERS (Measured After Treatment)						
Fluoride, ppm	0.8	0.4 - 1.1	4	4	YES	Water additive that promotes strong teeth (Our target is 1 mg/L)
Barium, ppb	1.2	(one sample)	2000	2000	YES	Erosion of natural deposits
Nitrate, ppm	0.11	(one sample)	10	10	YES	Erosion of natural deposits
Cadmium, ppb	.8	(one sample)	5	5	YES	Erosion of natural deposits
Chromium, ppb	.2	(one sample)	100	100	YES	Erosion of natural deposits
DISINFECTANTS and DISINFECTION BY-PRODUCTS (Measured in the Distribution System)						
TotalTrihalomethanes, ppb	24.43	9.6 - 54.8	NA	80	YES	By-product of drinking water chlorination
Haloacetic Acids (HAA), ppb	20.38	10.2 - 32.5	NA	60	YES	By-product of drinking water chlorination
Chlorine, ppm	Highest monthly average = .99	.13 - 1.43	MRDLG=4	MRDL=4	YES	Water additive used to control microbes

## Definitions

The following definitions are provided to help you better understand any unfamiliar terms and abbreviations included in the above table:

- **Maximum Contaminant Level (MCL):** The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- **Maximum Contaminant Level Goal (MCLG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- **Maximum Residual Disinfectant Level (MRDL):** The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

(**MRDLG**): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

- **Treatment Technique (TT):** A required process intended to reduce the level of a contaminant in drinking water.
- **Nephelometric Turbidity Unit (NTU):** Turbidity is a measure of how clear the water looks. The turbidity MCL that applied to the Cedar Supply in 2011 was 5 NTU, and for the Tolt it was 0.3 NTU for at least 95% of the samples in a month. 100% of the samples from the Tolt in 2011 were below 0.3 NTU.
- **Action Level (AL):** The concentration of a contaminant, which, if exceeded, triggers treatment, or other requirements, which a water system must follow.

- **NA:** Not Applicable

- **ND:** Not Detected at or above the minimum reporting level - laboratory analysis indicates that the constituent is not present.

- **1 mg/L = 1000 µg/L**

**For water samples:**

- **1 part per million (ppm) = 1 mg/L** (corresponds to one minute in two years or a single penny in \$10,000)

- **1 part per billion (ppb) = 1 µg/L** (corresponds to one minute in 2,000 years, or a single penny in \$10,000,000)

- **1ppm = 1000 ppb**

## Cryptosporidium

*Cryptosporidium parvum* is a protozoan pathogen (disease-causing organism) commonly found in the natural environment. Most rivers and streams across the country have detectable concentrations of this pathogen. In SPU's surface water sources *Cryptosporidium* sources include deer, elk, and voles in the watersheds. The ozonation disinfection method at the Tolt Filtration Plant is very effective at destroying *Cryptosporidium* and other microbial organisms. SPU monitored for *Cryptosporidium* in the source water (prior to treatment). *Cryptosporidium* samples are not required to be collected from the Tolt supply due to removal and inactivation of *Cryptosporidium* by the Tolt Filtration Plant; however, SPU began collecting samples in 2005. *Cryptosporidium* was detected in one of the 4 samples collected in 2011 for the Tolt.



## Residential Tap Monitoring for Lead and Copper

Our source waters do not contain lead or copper. However, lead and copper can leach into residential water from building plumbing systems containing copper plumbing, lead-based solder, brass fixtures, or some types of zinc coatings used on galvanized pipes and fittings (individual water services, not water mains). Homes built or plumbed with copper pipe prior to the 1985 King County lead solder ban would have likely used lead-based solder, and are considered "high risk" under EPA's criteria. Brass fixtures, regardless of age, generally contain some lead. Metals can leach into building plumbing systems when the water is stagnant in the pipes for extended periods of time (six hours or greater).

By regulation, lead and copper monitoring is conducted at "high risk" homes. Samples are collected from these homes after the water is allowed to stand in the pipes overnight. We are required to report the "90th percentile" result of the testing. This means that 90 percent of the high-risk homes have concentrations less than the reported value and 10 percent have concentrations higher than the reported value. Lead and copper monitoring was conducted most recently in 2011 and were both at or below the action levels. The next sampling round will be in 2014. Compliance is determined on a regional basis.

### LEAD AND COPPER MONITORING RESULTS (TOLT)

Parameter & Units	MCLG	Action Level+	City of Kirkland – Tolt Water		Source
			2011 Results*	# homes exceeding action level	
Lead, ppb	0	15	6	0 of 53 (10%)	Corrosion of household plumbing systems
Copper, ppm	1.3	1.3	0.16	0 of 53	

\*90th Percentile: i.e. 90 percent of the samples were less than the value shown.  
 +The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

Infants and young children are typically more vulnerable to lead in drinking water than the general population. It is possible that lead levels at your home may be higher than at other homes in the community as a result of materials used in your home's plumbing. If you are concerned about elevated lead levels in your home's water, you may wish to have your water tested and flush your tap for 30 seconds to 2 minutes before using tap water. Additional information is available from the Safe Drinking Water Hotline (800) 426-4791.

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The City of Kirkland is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at [www.epa.gov/safewater/lead](http://www.epa.gov/safewater/lead).

### Additional Water Quality Sampling

SPU monitors several parameters in the interest of our customers. The following table lists the water quality information most frequently requested.



#### PARAMETER & UNITS

#### TOLT SUPPLY

Alkalinity, Total (as CaCO <sub>3</sub> ), ppm	20.5
Calcium, (as CaCO <sub>3</sub> ), ppm	26.0
Hardness, (as CaCO <sub>3</sub> ), ppm	27.7
Hardness, (as CaCO <sub>3</sub> ), grains/gal.	1.6
Iron, ppb	39
Manganese, ppb	0.8
pH, range (January–June 2011, 10-90th percentile)	8.15-8.64
Potassium, ppm	0.12
Sodium, ppm	1.49
Sulfate, ppm	1.4
Temperature, annual range, C°	3.8-21.4

Note: abbreviation definitions available on page 5



## Frequently Asked Questions

**How can I get more involved in decisions affecting my drinking water?**

Please contact the Water Division at the telephone number or e-mail address listed at the end of this report with any questions, suggestions or concerns. Water-related issues are often presented to Kirkland City Council; the public is welcome to attend council meetings. To determine the Kirkland City Council's meeting schedule and/or topics to be discussed, call (425) 587-3197. Information regarding Washington State legislation is available at [www.leg.wa.gov/legislature](http://www.leg.wa.gov/legislature).

**What causes tastes and odors, and what are some remedies?**

Most of the taste and odor complaints that SPU receives are about chlorine or the earthy, musty taste caused by blue-green algae that grow naturally in SPU's source waters. This algae is not harmful to your health. Chilling the water or adding lemon to the water can reduce taste and odor problems. The filtration and ozonation facilities on the Tolt supply eliminated taste and odor problems from that source.

**How can I learn ways to conserve water?**

In partnership with the Cascade Water Alliance, Kirkland has a variety of programs to conserve this vital natural resource and stabilize or reduce your water bill. For more information, please contact the Water Division (425) 587-3907.

**Who can I contact regarding my utility bill, permits, emergencies, etc.?**

- 💧 Billing or Consumption Records/Questions - Customer Accounts (425) 587-3150
- 💧 General Drinking Water Questions - Water Division (425) 587-3910
- 💧 WATER EMERGENCIES
  - 💧 Monday – Friday, normal business hours – Water Division (425) 587-3910
  - 💧 After-hours/Holidays – Maintenance Center (425) 587-3900
- 💧 To Report Illegal Fire Hydrant Use – Water Division (425) 587-3910
- 💧 Plumbing Permits – Building Department (425) 587-3600
- 💧 Capital Improvement Projects – Capital Projects Manager (425) 587-3833

**How can I get more water quality information?**

City of Kirkland web site .....	<a href="http://www.kirklandwa.gov">www.kirklandwa.gov</a>
City of Kirkland Water Division e-mail.....	<a href="mailto:gneumann@kirklandwa.gov">gneumann@kirklandwa.gov</a>
(Greg Neumann, Water Division Manager)	
City of Kirkland telephone number.....	(425) 587-3900
City of Kirkland address.....	123 Fifth Avenue
	Kirkland, WA 98033
Washington Department of Health -	
Drinking Water web site .....	<a href="http://www.doh.wa.gov/ehp/dw">www.doh.wa.gov/ehp/dw</a>
U.S. Environmental Protection Agency web site	<a href="http://www.epa.gov/safewater/hotline">www.epa.gov/safewater/hotline</a>
EPA Safe Drinking Water Hotline .....	(800) 426-4791

This material can be made available to accommodate people with disabilities at the City of Kirkland's TTY telephone number (425) 587-3111.

# 2012 annual waterQuality report

The City of Kirkland Public Works Dept.  
123 5th Avenue · Kirkland, WA 98033



Printed on Recycled Paper

PRESORT  
STANDARD  
PAID  
Permit No. 268  
Kirkland, WA

## Water Use Efficiency Rule – Report to customers

The 2003 Municipal Water Law (HB1338) aimed at addressing the increasing demand on our state's water resources, set planning requirements, leakage standards and water conservation goal setting and reporting requirements. The City of Kirkland under-

went a public process in January of 2008 and adopted the conservation goal based on Kirkland's portion of Cascade's regional goal. The adopted goal was to achieve 88,000 gallons per day (gpd) in savings by the end of the six year (2008-2013) water conservation program. This translates to an average of 14,000 gpd of new savings each year. During 2011, Kirkland achieved a savings of 23,194 gpd.

The Cascade programs for Kirkland include outreach, rebates toward the purchase of water conserving appliances and hardware (clothes washers, toilets, urinals, ice machines, irrigation systems), and distribution of showerhead and faucet aerators as well as toilet leak detection tablets. For more information visit [www.cascadewater.org](http://www.cascadewater.org).



Water Division crewmember installing a new pressure reducing valve

**Saving water is always a good thing to do.**

Not only does it help to preserve the environment for us and future generations, you may also see a reduction in your water and sewer bills. If you have questions on how you can save water or take advantage of rebates, please contact the Water Division at (425) 587-3907 or visit [www.cascadewater.org](http://www.cascadewater.org).